ISSN 0091-1798 (print)
ISSN 2168-894X (online)

THE ANNALS *of* PROBABILITY

AN OFFICIAL JOURNAL OF THE
INSTITUTE OF MATHEMATICAL STATISTICS

Articles

The stable graph: The metric space scaling limit of a critical random graph with i.i.d. power-law degrees
GUILLAUME CONCHON-KERJAN AND CHRISTINA GOLDSCHMIDT 1
Absence of backward infinite paths for first-passage percolation in arbitrary dimension
GERANDY BRITO, MICHAEL DAMRON AND JACK HANSON 70
Geometric and o-minimal Littlewood–Offord problems
JACOB FOX, MATTHEW KWAN AND HUNTER SPINK 101
Expansion in supercritical random sub-graphs of the hypercube and its consequences
JOSHUA ERDE, MIHYUN KANG AND MICHAEL KRIVELEVICH 127
Metastable behavior of weakly mixing Markov chains: The case of reversible, critical zero-range processes . . . . . C. LANDIM, D. MARCONDES AND I. SEO 157
Existence of an unbounded nodal hypersurface for smooth Gaussian fields in dimension $d \geq 3$ . . . . . HUGO DUMINIL-COPIN, ALEJANDRO RIVERA, PIERRE-FRANÇOIS RODRIGUEZ AND HUGO VANNEUVILLE 228
Poisson statistics and localization at the spectral edge of sparse Erdős–Rényi graphs
JOHANNES ALT, RAPHAEL DUCATEZ AND ANTTI KNOWLES 277
Free energy of a diluted spin glass model with quadratic Hamiltonian
RATUL BISWAS, WEI-KUO CHEN AND ARNAB SEN 359

Vol. 51, No. 1—January 2023

THE ANNALS OF PROBABILITY Vol. 51, No. 1, pp. 1–395 January 2023

INSTITUTE OF MATHEMATICAL STATISTICS

(Organized September 12, 1935)

The purpose of the Institute is to foster the development and dissemination of the theory and applications of statistics and probability.

IMS OFFICERS

President: Peter Bühlmann, Seminar für Statistik, ETH Zürich, 8092 Zürich, Switzerland

President-Elect: Michael Kosorok, Department of Biostatistics and Department of Statistics and Operations Research, University of North Carolina, Chapel Hill, Chapel Hill, NC 27599, USA

Past President: Krzysztof Burdzy, Department of Mathematics, University of Washington, Seattle, WA 98195-4350, USA

Executive Secretary: Edsel Peña, Department of Statistics, University of South Carolina, Columbia, SC 29208-001, USA

Treasurer: Jiashun Jin, Department of Statistics, Carnegie Mellon University, Pittsburgh, PA 15213-3890, USA

Program Secretary: Annie Qu, Department of Statistics, University of California, Irvine, Irvine, CA 92697-3425, USA

IMS EDITORS

The Annals of Statistics. *Editors*: Enno Mammen, Institute for Applied Mathematics, Heidelberg University, 69120 Heidelberg, Germany. Lan Wang, Miami Herbert Business School, University of Miami, Coral Gables, FL 33124, USA

The Annals of Applied Statistics. *Editor-in-Chief*: Ji Zhu, Department of Statistics, University of Michigan, Ann Arbor, MI 48109, USA

The Annals of Probability. *Editors*: Alice Guionnet, Unité de Mathématiques Pures et Appliquées, ENS de Lyon, Lyon, France. Christophe Garban, Institut Camille Jordan, Université Claude Bernard Lyon 1, 69622 Villeurbanne, France

The Annals of Applied Probability. *Editors*: Kavita Ramanan, Division of Applied Mathematics, Brown University, Providence, RI 02912, USA. Qi-Man Shao, Department of Statistics and Data Science, Southern University of Science and Technology, Shenzhen, Guangdong 518055, P.R. China

Statistical Science. *Editor*: Sonia Petrone, Department of Decision Sciences, Università Bocconi, 20100 Milano MI, Italy

The IMS Bulletin. *Editor*: Tati Howell, bulletin@imstat.org

The Annals of Probability **[ISSN 0091-1798 (print); ISSN 2168-894X (online)],** Volume 51, Number 1, January 2023. Published bimonthly by the Institute of Mathematical Statistics, 9760 Smith Road, Waite Hill, OH 44094, USA. Periodicals postage paid at Cleveland, Ohio, and at additional mailing offices.

POSTMASTER: Send address changes to *The Annals of Probability*, Institute of Mathematical Statistics, Dues and Subscriptions Office, PO Box 729, Middletown, MD 21769, USA.

Copyright © 2023 by the Institute of Mathematical Statistics
Printed in the United States of America

The Annals of Probability
2023, Vol. 51, No. 1, 1–69
https://doi.org/10.1214/22-AOP1587
© Institute of Mathematical Statistics, 2023

THE STABLE GRAPH: THE METRIC SPACE SCALING LIMIT OF A CRITICAL RANDOM GRAPH WITH I.I.D. POWER-LAW DEGREES

BY GUILLAUME CONCHON-KERJAN[1,a] AND CHRISTINA GOLDSCHMIDT[2,b]

[1] *Prob-L@B, Department of Mathematical Sciences, University of Bath,* [a] *galck20@bath.ac.uk*
[2] *Department of Statistics and Lady Margaret Hall, University of Oxford,* [b] *goldschm@stats.ox.ac.uk*

We prove a metric space scaling limit for a critical random graph with independent and identically distributed degrees having power-law tail behaviour with exponent $\alpha + 1$, where $\alpha \in (1, 2)$. The limiting components are constructed from random $\mathbb{R}$-trees encoded by the excursions above its running infimum of a process whose law is locally absolutely continuous with respect to that of a spectrally positive α-stable Lévy process. These spanning $\mathbb{R}$-trees are measure-changed α-stable trees. In each such $\mathbb{R}$-tree, we make a random number of vertex identifications, whose locations are determined by an auxiliary Poisson process. This generalises results, which were already known in the case where the degree distribution has a finite third moment (a model which lies in the same universality class as the Erdős–Rényi random graph) and where the role of the α-stable Lévy process is played by a Brownian motion.

REFERENCES

[1] ADDARIO-BERRY, L., BROUTIN, N. and GOLDSCHMIDT, C. (2010). Critical random graphs: Limiting constructions and distributional properties. *Electron. J. Probab.* **15** 741–775. MR2650781 https://doi.org/10.1214/EJP.v15-772

[2] ADDARIO-BERRY, L., BROUTIN, N. and GOLDSCHMIDT, C. (2012). The continuum limit of critical random graphs. *Probab. Theory Related Fields* **152** 367–406. MR2892951 https://doi.org/10.1007/s00440-010-0325-4

[3] ADDARIO-BERRY, L., BROUTIN, N., GOLDSCHMIDT, C. and MIERMONT, G. (2017). The scaling limit of the minimum spanning tree of the complete graph. *Ann. Probab.* **45** 3075–3144. MR3706739 https://doi.org/10.1214/16-AOP1132

[4] ALDOUS, D. (1991). The continuum random tree. I. *Ann. Probab.* **19** 1–28. MR1085326

[5] ALDOUS, D. (1991). The continuum random tree. II. An overview. In *Stochastic Analysis* (*Durham*, 1990). *London Mathematical Society Lecture Note Series* **167** 23–70. Cambridge Univ. Press, Cambridge. MR1166406 https://doi.org/10.1017/CBO9780511662980.003

[6] ALDOUS, D. (1993). The continuum random tree. III. *Ann. Probab.* **21** 248–289. MR1207226

[7] ALDOUS, D. (1997). Brownian excursions, critical random graphs and the multiplicative coalescent. *Ann. Probab.* **25** 812–854. MR1434128 https://doi.org/10.1214/aop/1024404421

[8] ALDOUS, D. and LIMIC, V. (1998). The entrance boundary of the multiplicative coalescent. *Electron. J. Probab.* **3** Paper No. 3, 59 pp. MR1491528 https://doi.org/10.1214/EJP.v3-25

[9] ALDOUS, D. and PITMAN, J. (2000). Inhomogeneous continuum random trees and the entrance boundary of the additive coalescent. *Probab. Theory Related Fields* **118** 455–482. MR1808372 https://doi.org/10.1007/PL00008751

[10] ARRATIA, R., BARBOUR, A. D. and TAVARÉ, S. (2003). *Logarithmic Combinatorial Structures*: *A Probabilistic Approach*. *EMS Monographs in Mathematics*. European Mathematical Society (EMS), Zürich. MR2032426 https://doi.org/10.4171/000

[11] BAROUCH, E. and KAUFMAN, G. M. (1976). Probabilistic modelling of oil and gas discovery. In *Energy*: *Mathematics and Models* (F. S. Roberts, ed.) 133–150. SIAM, Philadelphia.

[12] BENDER, E. A. and CANFIELD, E. R. (1978). The asymptotic number of labeled graphs with given degree sequences. *J. Combin. Theory Ser. A* **24** 296–307. MR0505796 https://doi.org/10.1016/0097-3165(78)90059-6

MSC2020 subject classifications. Primary 60C05; secondary 05C80, 60F05, 60G52.
Key words and phrases. Random graph, scaling limit, stable Lévy processes.

[13] BERTOIN, J. (1992). Factorizing Laplace exponents in a spectrally positive Lévy process. *Stochastic Process. Appl.* **42** 307–313. MR1176504 https://doi.org/10.1016/0304-4149(92)90042-O

[14] BERTOIN, J. (1996). *Lévy Processes*. *Cambridge Tracts in Mathematics* **121**. Cambridge Univ. Press, Cambridge. MR1406564

[15] BHAMIDI, S., BROUTIN, N., SEN, S. and WANG, X. (2014). Scaling limits of random graph models at criticality: Universality and the basin of attraction of the Erdős–Rényi random graph. Preprint. Available at arXiv:1411.3417.

[16] BHAMIDI, S., BUDHIRAJA, A. and WANG, X. (2014). The augmented multiplicative coalescent, bounded size rules and critical dynamics of random graphs. *Probab. Theory Related Fields* **160** 733–796. MR3278920 https://doi.org/10.1007/s00440-013-0540-x

[17] BHAMIDI, S., BUDHIRAJA, A. and WANG, X. (2014). Bounded-size rules: The barely subcritical regime. *Combin. Probab. Comput.* **23** 505–538. MR3217358 https://doi.org/10.1017/S0963548314000261

[18] BHAMIDI, S., DHARA, S., VAN DER HOFSTAD, R. and SEN, S. (2020). Universality for critical heavy-tailed network models: Metric structure of maximal components. *Electron. J. Probab.* **25** Paper No. 47, 57 pp. MR4092766 https://doi.org/10.1214/19-ejp408

[19] BHAMIDI, S., DHARA, S., VAN DER HOFSTAD, R. and SEN, S. (2020). Global lower mass-bound for critical configuration models in the heavy-tailed regime. Preprint. Available at arXiv:2005.02566.

[20] BHAMIDI, S. and SEN, S. (2020). Geometry of the vacant set left by random walk on random graphs, Wright's constants, and critical random graphs with prescribed degrees. *Random Structures Algorithms* **56** 676–721. MR4084187 https://doi.org/10.1002/rsa.20880

[21] BHAMIDI, S., SEN, S. and WANG, X. (2017). Continuum limit of critical inhomogeneous random graphs. *Probab. Theory Related Fields* **169** 565–641. MR3704776 https://doi.org/10.1007/s00440-016-0737-x

[22] BHAMIDI, S., VAN DER HOFSTAD, R. and SEN, S. (2018). The multiplicative coalescent, inhomogeneous continuum random trees, and new universality classes for critical random graphs. *Probab. Theory Related Fields* **170** 387–474. MR3748328 https://doi.org/10.1007/s00440-017-0760-6

[23] BHAMIDI, S., VAN DER HOFSTAD, R. and VAN LEEUWAARDEN, J. S. H. (2010). Scaling limits for critical inhomogeneous random graphs with finite third moments. *Electron. J. Probab.* **15** 1682–1703. MR2735378 https://doi.org/10.1214/EJP.v15-817

[24] BHAMIDI, S., VAN DER HOFSTAD, R. and VAN LEEUWAARDEN, J. S. H. (2012). Novel scaling limits for critical inhomogeneous random graphs. *Ann. Probab.* **40** 2299–2361. MR3050505 https://doi.org/10.1214/11-AOP680

[25] BOHMAN, T. and FRIEZE, A. (2001). Avoiding a giant component. *Random Structures Algorithms* **19** 75–85. MR1848028 https://doi.org/10.1002/rsa.1019

[26] BOLLOBÁS, B. (1980). A probabilistic proof of an asymptotic formula for the number of labelled regular graphs. *European J. Combin.* **1** 311–316. MR0595929 https://doi.org/10.1016/S0195-6698(80)80030-8

[27] BROUTIN, N., DUQUESNE, T. and WANG, M. (2021). Limits of multiplicative inhomogeneous random graphs and Lévy trees: Limit theorems. *Probab. Theory Related Fields* **181** 865–973. MR4344135 https://doi.org/10.1007/s00440-021-01075-z

[28] BROUTIN, N., DUQUESNE, T. and WANG, M. (2022). Limits of multiplicative inhomogeneous random graphs and Lévy trees: The continuum graphs. *Ann. Appl. Probab.* To appear. Available at arXiv:1804.05871.

[29] DALEY, D. J. and VERE-JONES, D. (2008). *An Introduction to the Theory of Point Processes*. *Vol. II*: *General Theory and Structure*, 2nd ed. *Probability and Its Applications* (*New York*). Springer, New York. MR2371524 https://doi.org/10.1007/978-0-387-49835-5

[30] DHARA, S., VAN DER HOFSTAD, R. and VAN LEEUWAARDEN, J. S. H. (2021). Critical percolation on scale-free random graphs: New universality class for the configuration model. *Comm. Math. Phys.* **382** 123–171. MR4223472 https://doi.org/10.1007/s00220-021-03957-8

[31] DHARA, S., VAN DER HOFSTAD, R., VAN LEEUWAARDEN, J. S. H. and SEN, S. (2017). Critical window for the configuration model: Finite third moment degrees. *Electron. J. Probab.* **22** Paper No. 16, 33 pp. MR3622886 https://doi.org/10.1214/17-EJP29

[32] DHARA, S., VAN DER HOFSTAD, R., VAN LEEUWAARDEN, J. S. H. and SEN, S. (2020). Heavy-tailed configuration models at criticality. *Ann. Inst. Henri Poincaré Probab. Stat.* **56** 1515–1558. MR4116701 https://doi.org/10.1214/19-AIHP980

[33] DONDERWINKEL, S. (2021). Convergence of the height process of supercritical Galton–Watson forests with an application to the configuration model in the critical window. Preprint. Available at arXiv:2105.12109.

[34] DONDERWINKEL, S. and XIE, Z. (2021). Universality for the directed configuration model: Metric space convergence of the strongly connected components at criticality. Preprint. Available at arXiv:2105.11434.

[35] DUQUESNE, T. (2003). A limit theorem for the contour process of conditioned Galton–Watson trees. *Ann. Probab.* **31** 996–1027. MR1964956 https://doi.org/10.1214/aop/1048516543

[36] DUQUESNE, T. and LE GALL, J.-F. (2002). Random trees, Lévy processes and spatial branching processes. *Astérisque* **281** vi+147. MR1954248

[37] DURRETT, R. (2010). *Probability: Theory and Examples*, 4th ed. *Cambridge Series in Statistical and Probabilistic Mathematics* **31**. Cambridge Univ. Press, Cambridge. MR2722836 https://doi.org/10.1017/CBO9780511779398

[38] FEDERICO, L. (2019). Critical scaling limits of the random intersection graph. Preprint. Available at arXiv:1910.13227.

[39] GOLDSCHMIDT, C., HAAS, B. and SÉNIZERGUES, D. (2022). Stable graphs: Distributions and line-breaking construction. *Ann. Henri Lebesgue*. To appear. Available at arXiv:1811.06940.

[40] HEYDENREICH, M. and VAN DER HOFSTAD, R. (2017). *Progress in High-Dimensional Percolation and Random Graphs*. *CRM Short Courses*. Springer, Cham; Centre de Recherches Mathématiques, Montreal, QC. MR3729454

[41] JANSON, S. (2007). Brownian excursion area, Wright's constants in graph enumeration, and other Brownian areas. *Probab. Surv.* **4** 80–145. MR2318402 https://doi.org/10.1214/07-PS104

[42] JANSON, S. (2009). On percolation in random graphs with given vertex degrees. *Electron. J. Probab.* **14** 87–118. MR2471661 https://doi.org/10.1214/EJP.v14-603

[43] JANSON, S. and LUCZAK, M. J. (2009). A new approach to the giant component problem. *Random Structures Algorithms* **34** 197–216. MR2490288 https://doi.org/10.1002/rsa.20231

[44] JOSEPH, A. (2014). The component sizes of a critical random graph with given degree sequence. *Ann. Appl. Probab.* **24** 2560–2594. MR3262511 https://doi.org/10.1214/13-AAP985

[45] KORTCHEMSKI, I. (2017). Sub-exponential tail bounds for conditioned stable Bienaymé–Galton–Watson trees. *Probab. Theory Related Fields* **168** 1–40. MR3651047 https://doi.org/10.1007/s00440-016-0704-6

[46] LE GALL, J.-F. (2005). Random trees and applications. *Probab. Surv.* **2** 245–311. MR2203728 https://doi.org/10.1214/154957805100000140

[47] LE GALL, J.-F. (2016). *Brownian Motion*, *Martingales*, *and Stochastic Calculus*, *Graduate Texts in Mathematics* **274**. Springer, Cham. MR3497465 https://doi.org/10.1007/978-3-319-31089-3

[48] MARCKERT, J.-F. and MOKKADEM, A. (2003). The depth first processes of Galton–Watson trees converge to the same Brownian excursion. *Ann. Probab.* **31** 1655–1678. MR1989446 https://doi.org/10.1214/aop/1055425793

[49] MARTIN, J. B. and RÁTH, B. (2017). Rigid representations of the multiplicative coalescent with linear deletion. *Electron. J. Probab.* **22** Paper No. 83, 47 pp. MR3718711 https://doi.org/10.1214/17-EJP100

[50] MIERMONT, G. (2003). Self-similar fragmentations derived from the stable tree. I. Splitting at heights. *Probab. Theory Related Fields* **127** 423–454. MR2018924 https://doi.org/10.1007/s00440-003-0295-x

[51] MIERMONT, G. (2005). Self-similar fragmentations derived from the stable tree. II. Splitting at nodes. *Probab. Theory Related Fields* **131** 341–375. MR2123249 https://doi.org/10.1007/s00440-004-0373-8

[52] MOLLOY, M. and REED, B. (1995). A critical point for random graphs with a given degree sequence. *Random Structures Algorithms* **6** 161–180. MR1370952 https://doi.org/10.1002/rsa.3240060204

[53] MOLLOY, M. and REED, B. (1998). The size of the giant component of a random graph with a given degree sequence. *Combin. Probab. Comput.* **7** 295–305. MR1664335 https://doi.org/10.1017/S0963548398003526

[54] NACHMIAS, A. and PERES, Y. (2010). Critical percolation on random regular graphs. *Random Structures Algorithms* **36** 111–148. MR2583058 https://doi.org/10.1002/rsa.20277

[55] NORROS, I. and REITTU, H. (2006). On a conditionally Poissonian graph process. *Adv. in Appl. Probab.* **38** 59–75. MR2213964 https://doi.org/10.1239/aap/1143936140

[56] PITMAN, J. and TRAN, N. M. (2015). Size-biased permutation of a finite sequence with independent and identically distributed terms. *Bernoulli* **21** 2484–2512. MR3378475 https://doi.org/10.3150/14-BEJ652

[57] RIORDAN, O. (2012). The phase transition in the configuration model. *Combin. Probab. Comput.* **21** 265–299. MR2900063 https://doi.org/10.1017/S0963548311000666

[58] ROGERS, L. C. G. (1984). A new identity for real Lévy processes. *Ann. Inst. Henri Poincaré Probab. Stat.* **20** 21–34. MR0740248

[59] TUROVA, T. S. (2013). Diffusion approximation for the components in critical inhomogeneous random graphs of rank 1. *Random Structures Algorithms* **43** 486–539. MR3124693 https://doi.org/10.1002/rsa.20503

[60] VAN DER HOFSTAD, R. (2013). Critical behavior in inhomogeneous random graphs. *Random Structures Algorithms* **42** 480–508. MR3068034 https://doi.org/10.1002/rsa.20450

[61] VAN DER HOFSTAD, R. (2017). *Random Graphs and Complex Networks*. *Vol.* 1. *Cambridge Series in Statistical and Probabilistic Mathematics* **43**. Cambridge Univ. Press, Cambridge. MR3617364 https://doi.org/10.1017/9781316779422

[62] WORMALD, N. (1978). Some problems in the enumeration of labelled graphs. Ph.D. thesis, Univ. Newcastle, Australia.

The Annals of Probability
2023, Vol. 51, No. 1, 70–100
https://doi.org/10.1214/22-AOP1588
© Institute of Mathematical Statistics, 2023

ABSENCE OF BACKWARD INFINITE PATHS FOR FIRST-PASSAGE PERCOLATION IN ARBITRARY DIMENSION

BY GERANDY BRITO[1,a], MICHAEL DAMRON[2,b] AND JACK HANSON[3,c]

[1]*College of Computing, Georgia Institute of Technology,* [a]*gbrito3@gatech.edu*
[2]*School of Mathematics, Georgia Institute of Technology,* [b]*mdamron6@protonmail.com*
[3]*Department of Mathematics, City College of New York,* [c]*jhanson@ccny.cuny.edu*

In first-passage percolation (FPP), one places nonnegative random variables (weights) (t_e) on the edges of a graph and studies the induced weighted graph metric. We consider FPP on $\mathbb{Z}^d$ for $d \geq 2$ and analyze the geometric properties of geodesics, which are optimizing paths for the metric. Specifically, we address the question of existence of bigeodesics, which are doubly-infinite paths whose subpaths are geodesics. It is a famous conjecture originating from a question of Furstenberg and most strongly supported for $d = 2$ that, for continuously distributed i.i.d. weights, there a.s. are no bigeodesics. We provide the first progress on this question in general dimensions under no unproven assumptions. Our main result is that geodesic graphs, introduced in a previous paper of two of the authors, constructed in any deterministic direction a.s. do not contain doubly-infinite paths. As a consequence, one can construct random graphs of subsequential limits of point-to-hyperplane geodesics, which contain no bigeodesics. This gives evidence that bigeodesics, if they exist, cannot be constructed in a translation-invariant manner as limits of point-to-hyperplane geodesics.

REFERENCES

[1] AHLBERG, D. and HOFFMAN, C. (2016). Random coalescing geodesics in first-passage percolation. Preprint.

[2] AIZENMAN, M. and WEHR, J. (1990). Rounding effects of quenched randomness on first-order phase transitions. *Comm. Math. Phys.* **130** 489–528. MR1060388

[3] ALEXANDER, K. (2020). Geodesics, bigeodesics, and coalescence in first passage percolation in general dimension. Preprint.

[4] AUFFINGER, A., DAMRON, M. and HANSON, J. (2015). Limiting geodesics for first-passage percolation on subsets of $\mathbb{Z}^2$. *Ann. Appl. Probab.* **25** 373–405. MR3297776 https://doi.org/10.1214/13-AAP999

[5] AUFFINGER, A., DAMRON, M. and HANSON, J. (2017). 50 *Years of First-Passage Percolation*. *University Lecture Series* **68**. Amer. Math. Soc., Providence, RI. MR3729447 https://doi.org/10.1090/ulect/068

[6] BALÁZS, M., BUSANI, O. and SEPPÄLÄINEN, T. (2020). Non-existence of bi-infinite geodesics in the exponential corner growth model. *Forum Math. Sigma* **8** Paper No. e46, 34. MR4176750 https://doi.org/10.1017/fms.2020.31

[7] BASU, R., HOFFMAN, C. and SLY, A. (2018). Nonexistence of bigeodesics in integrable models of last passage percolation. Preprint.

[8] BOIVIN, D. (1990). First passage percolation: The stationary case. *Probab. Theory Related Fields* **86** 491–499. MR1074741 https://doi.org/10.1007/BF01198171

[9] BRITO, G. and HOFFMAN, C. (2021). Geodesic rays and exponents in ergodic planar first passage percolation. In *In and Out of Equilibrium* 3. *Celebrating Vladas Sidoravicius*. *Progress in Probability* **77** 163–186. Birkhäuser/Springer, Cham. MR4237268

[10] BURTON, R. M. and KEANE, M. (1989). Density and uniqueness in percolation. *Comm. Math. Phys.* **121** 501–505. MR0990777

[11] CHAIKA, J. and KRISHNAN, A. (2019). Stationary coalescing walks on the lattice. *Probab. Theory Related Fields* **175** 655–675. MR4026602 https://doi.org/10.1007/s00440-018-0893-2

MSC2020 subject classifications. Primary 60K35; secondary 82B43.
Key words and phrases. First-passage percolation, bigeodesics, geodesic measures.

[12] COX, J. T. and DURRETT, R. (1981). Some limit theorems for percolation processes with necessary and sufficient conditions. *Ann. Probab.* **9** 583–603. MR0624685

[13] DAMRON, M. and HANSON, J. (2014). Busemann functions and infinite geodesics in two-dimensional first-passage percolation. *Comm. Math. Phys.* **325** 917–963. MR3152744 https://doi.org/10.1007/s00220-013-1875-y

[14] DAMRON, M. and HANSON, J. (2017). Bigeodesics in first-passage percolation. *Comm. Math. Phys.* **349** 753–776. MR3595369 https://doi.org/10.1007/s00220-016-2743-3

[15] DURRETT, R. (2019). *Probability—Theory and Examples. Cambridge Series in Statistical and Probabilistic Mathematics* **49**. Cambridge Univ. Press, Cambridge. Fifth edition of [MR1068527]. MR3930614 https://doi.org/10.1017/9781108591034

[16] FORGACS, F., LIPOWSKY, R. and NIEUWENHUIZEN, T. (1991). The behavior of interfaces in ordered and disordered systems. In *Phase Transitions and Critical Phenomena* (C. Domb and J. Lebowitz, eds.) **14** 135–363. Academic, London.

[17] GARET, O. and MARCHAND, R. (2005). Coexistence in two-type first-passage percolation models. *Ann. Appl. Probab.* **15** 298–330. MR2115045 https://doi.org/10.1214/105051604000000503

[18] HÄGGSTRÖM, O. (1999). Invariant percolation on trees and the mass-transport method. In *Bulletin of the International Statistical Institute. In*: 52*nd Session Proceedings*, *Tome LVIII*, *Book* 1 363–366. Helsinki.

[19] HÄGGSTRÖM, O. and PEMANTLE, R. (1998). First passage percolation and a model for competing spatial growth. *J. Appl. Probab.* **35** 683–692. MR1659548 https://doi.org/10.1239/jap/1032265216

[20] HAMMERSLEY, J. M. and WELSH, D. J. A. (1965). First-passage percolation, subadditive processes, stochastic networks, and generalized renewal theory. In *Proc. Internat. Res. Semin., Statist. Lab., Univ. California, Berkeley, Calif.*, 1963 61–110. Springer, New York. MR0198576

[21] HOFFMAN, C. (2005). Coexistence for Richardson type competing spatial growth models. *Ann. Appl. Probab.* **15** 739–747. MR2114988 https://doi.org/10.1214/105051604000000729

[22] HOFFMAN, C. (2008). Geodesics in first passage percolation. *Ann. Appl. Probab.* **18** 1944–1969. MR2462555 https://doi.org/10.1214/07-AAP510

[23] KESTEN, H. (1986). Aspects of first passage percolation. In *École D'été de Probabilités de Saint-Flour, XIV*—1984. *Lecture Notes in Math.* **1180** 125–264. Springer, Berlin. MR0876084 https://doi.org/10.1007/BFb0074919

[24] LICEA, C. and NEWMAN, C. M. (1996). Geodesics in two-dimensional first-passage percolation. *Ann. Probab.* **24** 399–410. MR1387641 https://doi.org/10.1214/aop/1042644722

[25] LYONS, R. and PERES, Y. (2016). *Probability on Trees and Networks. Cambridge Series in Statistical and Probabilistic Mathematics* **42**. Cambridge Univ. Press, New York. MR3616205 https://doi.org/10.1017/9781316672815

[26] NEWMAN, C. M. (1995). A surface view of first-passage percolation. In *Proceedings of the International Congress of Mathematicians*, *Vol.* 1, 2 (*Zürich*, 1994) 1017–1023. Birkhäuser, Basel. MR1404001

[27] NEWMAN, C. M. (1997). *Topics in Disordered Systems. Lectures in Mathematics ETH Zürich*. Birkhäuser, Basel. MR1480664 https://doi.org/10.1007/978-3-0348-8912-4

[28] NEWMAN, C. M. and STEIN, D. L. (1996). Spatial inhomogeneity and thermodynamic chaos. *Phys. Rev. Lett.* **76** 4821–4824. https://doi.org/10.1103/PhysRevLett.76.4821

[29] WEHR, J. and WOO, J. (1998). Absence of geodesics in first-passage percolation on a half-plane. *Ann. Probab.* **26** 358–367. MR1617053 https://doi.org/10.1214/aop/1022855423

The Annals of Probability
2023, Vol. 51, No. 1, 101–126
https://doi.org/10.1214/22-AOP1590
© Institute of Mathematical Statistics, 2023

GEOMETRIC AND O-MINIMAL LITTLEWOOD–OFFORD PROBLEMS

BY JACOB FOX[a], MATTHEW KWAN[b] AND HUNTER SPINK[c]

Department of Mathematics, Stanford University, [a]*jacobfox@stanford.edu,* [b]*mattkwan@stanford.edu,* [c]*hspink@stanford.edu*

The classical Erdős–Littlewood–Offord theorem says that for nonzero vectors $a_1, \dots, a_n \in \mathbb{R}^d$, any $x \in \mathbb{R}^d$, and uniformly random $(\xi_1, \dots, \xi_n) \in \{-1, 1\}^n$, we have $\Pr(a_1\xi_1 + \cdots + a_n\xi_n = x) = O(n^{-1/2})$. In this paper, we show that $\Pr(a_1\xi_1 + \cdots + a_n\xi_n \in S) \le n^{-1/2+o(1)}$ whenever S is definable with respect to an o-minimal structure (e.g., this holds when S is any algebraic hypersurface), under the necessary condition that it does not contain a line segment. We also obtain an inverse theorem in this setting.

REFERENCES

[1] BASU, S. and RAZ, O. E. (2018). An o-minimal Szemerédi–Trotter theorem. *Q. J. Math.* **69** 223–239. MR3771391 https://doi.org/10.1093/qmath/hax037

[2] BOMBIERI, E. and PILA, J. (1989). The number of integral points on arcs and ovals. *Duke Math. J.* **59** 337–357. MR1016893 https://doi.org/10.1215/S0012-7094-89-05915-2

[3] CHAPMAN, B. (2018). The Gotsman–Linial conjecture is false. In *Proceedings of the Twenty-Ninth Annual ACM-SIAM Symposium on Discrete Algorithms* 692–699. SIAM, Philadelphia, PA. MR3775833 https://doi.org/10.1137/1.9781611975031.45

[4] CHERNIKOV, A., GALVIN, D. and STARCHENKO, S. (2020). Cutting lemma and Zarankiewicz's problem in distal structures. *Selecta Math.* (*N.S.*) **26** Paper No. 25. MR4079189 https://doi.org/10.1007/s00029-020-0551-2

[5] COSTE, M. (2000). *An Introduction to O-Minimal Geometry*. Istituti editoriali e poligrafici internazionali Pisa.

[6] COSTELLO, K. P. (2013). Bilinear and quadratic variants on the Littlewood–Offord problem. *Israel J. Math.* **194** 359–394. MR3047075 https://doi.org/10.1007/s11856-012-0082-4

[7] COSTELLO, K. P., TAO, T. and VU, V. (2006). Random symmetric matrices are almost surely nonsingular. *Duke Math. J.* **135** 395–413. MR2267289 https://doi.org/10.1215/S0012-7094-06-13527-5

[8] DO, T. T. (2018). Zarankiewicz's problem for semi-algebraic hypergraphs. *J. Combin. Theory Ser. A* **158** 621–642. MR3800140 https://doi.org/10.1016/j.jcta.2018.04.007

[9] ELEKES, G. and RÓNYAI, L. (2000). A combinatorial problem on polynomials and rational functions. *J. Combin. Theory Ser. A* **89** 1–20. MR1736139 https://doi.org/10.1006/jcta.1999.2976

[10] ELEKES, G. and SZABÓ, E. (2012). How to find groups? (and how to use them in Erdős geometry?). *Combinatorica* **32** 537–571. MR3004808 https://doi.org/10.1007/s00493-012-2505-6

[11] ERDÖS, P. (1945). On a lemma of Littlewood and Offord. *Bull. Amer. Math. Soc.* **51** 898–902. MR0014608 https://doi.org/10.1090/S0002-9904-1945-08454-7

[12] ERDŐS, P. (1964). On extremal problems of graphs and generalized graphs. *Israel J. Math.* **2** 183–190. MR0183654 https://doi.org/10.1007/BF02759942

[13] FOX, J., KWAN, M. and SAUERMANN, L. (2021). Combinatorial anti-concentration inequalities, with applications. *Math. Proc. Cambridge Philos. Soc.* **171** 227–248. MR4299587 https://doi.org/10.1017/s0305004120000183

[14] FOX, J., PACH, J., SHEFFER, A., SUK, A. and ZAHL, J. (2017). A semi-algebraic version of Zarankiewicz's problem. *J. Eur. Math. Soc.* (*JEMS*) **19** 1785–1810. MR3646875 https://doi.org/10.4171/JEMS/705

[15] FRANKL, P. and FÜREDI, Z. (1988). Solution of the Littlewood–Offord problem in high dimensions. *Ann. of Math.* (2) **128** 259–270. MR0960947 https://doi.org/10.2307/1971442

[16] FUKUDA, K. (2002). Zonotopes. Lecture notes for a course on polyhedral computation. Available at https://www.cs.mcgill.ca/~fukuda/760B/handouts/expoly3.pdf.

[17] HALÁSZ, G. (1977). Estimates for the concentration function of combinatorial number theory and probability. *Period. Math. Hungar.* **8** 197–211. MR0494478 https://doi.org/10.1007/BF02018403

MSC2020 subject classifications. 06C05, 03C64.
Key words and phrases. Littlewood–Offord theory, random walk, anti-concentration, o-minimal.

[18] IOSEVICH, A., KONYAGIN, S., RUDNEV, M. and TEN, V. (2006). Combinatorial complexity of convex sequences. *Discrete Comput. Geom.* **35** 143–158. MR2183494 https://doi.org/10.1007/s00454-005-1194-y

[19] KANE, D. M. (2014). The correct exponent for the Gotsman–Linial conjecture. *Comput. Complexity* **23** 151–175. MR3212596 https://doi.org/10.1007/s00037-014-0086-z

[20] KIM, H. W., MALDONADO, C. and WELLENS, J. (2017). On graphs and the Gotsman–Linial conjecture for $d = 2$. ArXiv preprint. Available at arXiv:1709.06650.

[21] KLEITMAN, D. J. (1970). On a lemma of Littlewood and Offord on the distributions of linear combinations of vectors. *Adv. Math.* **5** 155–157. MR0265923 https://doi.org/10.1016/0001-8708(70)90038-1

[22] LITTLEWOOD, J. E. and OFFORD, A. C. (1943). On the number of real roots of a random algebraic equation. III. *Rec. Math.* [*Mat. Sbornik*] *N.S.* **12** 277–286. MR0009656

[23] MATOUŠEK, J. (2002). *Lectures on Discrete Geometry*. *Graduate Texts in Mathematics* **212**. Springer, New York. MR1899299 https://doi.org/10.1007/978-1-4613-0039-7

[24] MEKA, R., NGUYEN, O. and VU, V. (2016). Anti-concentration for polynomials of independent random variables. *Theory Comput.* **12** Paper No. 11. MR3542863 https://doi.org/10.4086/toc.2016.v012a011

[25] NGUYEN, H. and VU, V. (2011). Optimal inverse Littlewood–Offord theorems. *Adv. Math.* **226** 5298–5319. MR2775902 https://doi.org/10.1016/j.aim.2011.01.005

[26] NGUYEN, H. H. (2012). Inverse Littlewood–Offord problems and the singularity of random symmetric matrices. *Duke Math. J.* **161** 545–586. MR2891529 https://doi.org/10.1215/00127094-1548344

[27] NGUYEN, H. H. and VU, V. H. (2013). Small ball probability, inverse theorems, and applications. In *Erdös Centennial*. *Bolyai Soc. Math. Stud.* **25** 409–463. János Bolyai Math. Soc., Budapest. MR3203607 https://doi.org/10.1007/978-3-642-39286-3_16

[28] PILA, J. (1995). Density of integral and rational points on varieties. *Astérisque* **228** 183–187. MR1330933

[29] PILA, J. (2009). On the algebraic points of a definable set. *Selecta Math.* (*N.S.*) **15** 151–170. MR2511202 https://doi.org/10.1007/s00029-009-0527-8

[30] PILA, J. (2011). O-minimality and the André–Oort conjecture for $\mathbb{C}^n$. *Ann. of Math.* (2) **173** 1779–1840. MR2800724 https://doi.org/10.4007/annals.2011.173.3.11

[31] PILA, J. and WILKIE, A. J. (2006). The rational points of a definable set. *Duke Math. J.* **133** 591–616. MR2228464 https://doi.org/10.1215/S0012-7094-06-13336-7

[32] PILA, J. and ZANNIER, U. (2008). Rational points in periodic analytic sets and the Manin–Mumford conjecture. *Atti Accad. Naz. Lincei Rend. Lincei Mat. Appl.* **19** 149–162. MR2411018 https://doi.org/10.4171/RLM/514

[33] RAZ, O. E., SHARIR, M. and DE ZEEUW, F. (2016). Polynomials vanishing on Cartesian products: The Elekes–Szabó theorem revisited. *Duke Math. J.* **165** 3517–3566. MR3577370 https://doi.org/10.1215/00127094-3674103

[34] RAZ, O. E., SHARIR, M. and DE ZEEUW, F. (2018). The Elekes–Szabó theorem in four dimensions. *Israel J. Math.* **227** 663–690. MR3846338 https://doi.org/10.1007/s11856-018-1728-7

[35] RAZ, O. E., SHARIR, M. and SOLYMOSI, J. (2016). Polynomials vanishing on grids: The Elekes–Rónyai problem revisited. *Amer. J. Math.* **138** 1029–1065. MR3538150 https://doi.org/10.1353/ajm.2016.0033

[36] RAZ, O. E. and SHEM-TOV, Z. (2020). Expanding polynomials: A generalization of the Elekes–Rónyai theorem to d variables. *Combinatorica* **40** 721–748. MR4181764 https://doi.org/10.1007/s00493-020-4041-0

[37] RAZBOROV, A. and VIOLA, E. (2013). Real advantage. *ACM Trans. Comput. Theory* **5** Art. 17. MR3146710 https://doi.org/10.1145/2540089

[38] SCANLON, T. (2017). O-minimality as an approach to the André–Oort conjecture. In *Around the Zilber–Pink Conjecture/Autour de la Conjecture de Zilber–Pink. Panor. Synthèses* **52** 111–165. Soc. Math. France, Paris. MR3728313

[39] SIDORENKO, A. (1993). A correlation inequality for bipartite graphs. *Graphs Combin.* **9** 201–204. MR1225933 https://doi.org/10.1007/BF02988307

[40] TAO, T. and VU, V. (2009). From the Littlewood–Offord problem to the circular law: Universality of the spectral distribution of random matrices. *Bull. Amer. Math. Soc.* (*N.S.*) **46** 377–396. MR2507275 https://doi.org/10.1090/S0273-0979-09-01252-X

[41] TAO, T. and VU, V. (2010). A sharp inverse Littlewood–Offord theorem. *Random Structures Algorithms* **37** 525–539. MR2760363 https://doi.org/10.1002/rsa.20327

[42] TAO, T. and VU, V. H. (2009). Inverse Littlewood–Offord theorems and the condition number of random discrete matrices. *Ann. of Math.* (2) **169** 595–632. MR2480613 https://doi.org/10.4007/annals.2009.169.595

[43] TARSKI, A. (1951). *A Decision Method for Elementary Algebra and Geometry*, 2nd ed. Univ. California Press, Berkeley-Los Angeles, CA. MR0044472

[44] TIKHOMIROV, K. (2020). Singularity of random Bernoulli matrices. *Ann. of Math.* (2) **191** 593–634. MR4076632 https://doi.org/10.4007/annals.2020.191.2.6

[45] VAN DEN DRIES, L. (1998). *Tame Topology and O-Minimal Structures*. *London Mathematical Society Lecture Note Series* **248**. Cambridge Univ. Press, Cambridge. MR1633348 https://doi.org/10.1017/CBO9780511525919

[46] VAN DEN DRIES, L. and MILLER, C. (1994). On the real exponential field with restricted analytic functions. *Israel J. Math.* **85** 19–56. MR1264338 https://doi.org/10.1007/BF02758635

[47] WILKIE, A. J. (1996). Model completeness results for expansions of the ordered field of real numbers by restricted Pfaffian functions and the exponential function. *J. Amer. Math. Soc.* **9** 1051–1094. MR1398816 https://doi.org/10.1090/S0894-0347-96-00216-0

The Annals of Probability
2023, Vol. 51, No. 1, 127–156
https://doi.org/10.1214/22-AOP1592
© Institute of Mathematical Statistics, 2023

EXPANSION IN SUPERCRITICAL RANDOM SUBGRAPHS OF THE HYPERCUBE AND ITS CONSEQUENCES

BY JOSHUA ERDE[1,a], MIHYUN KANG[1,b] AND MICHAEL KRIVELEVICH[2,c]

[1] *Institute of Discrete Mathematics, Graz University of Technology,* [a] *erde@math.tugraz.at,* [b] *kang@math.tugraz.at*
[2] *School of Mathematical Sciences, Sackler Faculty of Exact Sciences, Tel Aviv University,* [c] *krivelev@tauex.tau.ac.il*

It is well known that the behaviour of a random subgraph of a d-dimensional hypercube, where we include each edge independently with probability p, undergoes a phase transition when p is around $\frac{1}{d}$. More precisely, standard arguments show that just below this value of p all components of this graph have order $O(d)$ with probability tending to one as $d \to \infty$ (whp for short), whereas Ajtai, Komlós and Szemerédi (*Combinatorica* **2** (1982) 1–7) showed that just above this value, in the *supercritical regime*, whp there is a unique "giant" component of order $\Theta(2^d)$. We show that whp the vertex expansion of the giant component is inverse polynomial in d. As a consequence, we obtain polynomial in d bounds on the diameter of the giant component and the mixing time of the lazy random walk on the giant component, answering questions of Bollobás, Kohayakawa and Łuczak (*Random Structures and Algorithms* **5** (1994) 627–648) and of Pete (*Electron. Commun. Probab.* **13** (2008) 377–392). Furthermore, our results imply lower bounds on the circumference and Hadwiger number of a random subgraph of the hypercube in this regime of p, which are tight up to polynomial factors in d.

REFERENCES

[1] AJTAI, M., KOMLÓS, J. and SZEMERÉDI, E. (1981). The longest path in a random graph. *Combinatorica* **1** 1–12. MR0602411 https://doi.org/10.1007/BF02579172

[2] AJTAI, M., KOMLÓS, J. and SZEMERÉDI, E. (1982). Largest random component of a k-cube. *Combinatorica* **2** 1–7. MR0671140 https://doi.org/10.1007/BF02579276

[3] ALON, N. and SPENCER, J. H. (2016). *The Probabilistic Method*, 4th ed. *Wiley Series in Discrete Mathematics and Optimization*. Wiley, Hoboken, NJ. MR3524748

[4] BENJAMINI, I., KOZMA, G. and WORMALD, N. (2014). The mixing time of the giant component of a random graph. *Random Structures Algorithms* **45** 383–407. MR3252922 https://doi.org/10.1002/rsa.20539

[5] BERESTYCKI, N., LUBETZKY, E., PERES, Y. and SLY, A. (2018). Random walks on the random graph. *Ann. Probab.* **46** 456–490. MR3758735 https://doi.org/10.1214/17-AOP1189

[6] BERNSTEIN, A. J. (1967). Maximally connected arrays on the n-cube. *SIAM J. Appl. Math.* **15** 1485–1489. MR0223260 https://doi.org/10.1137/0115129

[7] BEVERIDGE, A., FRIEZE, A. and MCDIARMID, C. (1998). Random minimum length spanning trees in regular graphs. *Combinatorica* **18** 311–333. MR1721947 https://doi.org/10.1007/PL00009825

[8] BOLLOBÁS, B. (1983). The evolution of the cube. In *Combinatorial Mathematics* (*Marseille-Luminy*, 1981). *North-Holland Math. Stud.* **75** 91–97. North-Holland, Amsterdam. MR0841284

[9] BOLLOBÁS, B. (1984). The evolution of random graphs. *Trans. Amer. Math. Soc.* **286** 257–274. MR0756039 https://doi.org/10.2307/1999405

[10] BOLLOBÁS, B. (1990). Complete matchings in random subgraphs of the cube. *Random Structures Algorithms* **1** 95–104. MR1068493 https://doi.org/10.1002/rsa.3240010107

[11] BOLLOBÁS, B. (2001). *Random Graphs*, 2nd ed. *Cambridge Studies in Advanced Mathematics* **73**. Cambridge Univ. Press, Cambridge. MR1864966 https://doi.org/10.1017/CBO9780511814068

[12] BOLLOBÁS, B., KOHAYAKAWA, Y. and ŁUCZAK, T. (1992). The evolution of random subgraphs of the cube. *Random Structures Algorithms* **3** 55–90. MR1139488 https://doi.org/10.1002/rsa.3240030106

MSC2020 subject classifications. 05C80, 82B43, 05C48.
Key words and phrases. Hypercube percolation, graph expansion.

[13] BOLLOBÁS, B., KOHAYAKAWA, Y. and ŁUCZAK, T. (1994). On the diameter and radius of random subgraphs of the cube. *Random Structures Algorithms* **5** 627–648. MR1300592 https://doi.org/10.1002/rsa.3240050503

[14] BOLLOBÁS, B., KOHAYAKAWA, Y. and ŁUCZAK, T. (1994). On the evolution of random Boolean functions. In *Extremal Problems for Finite Sets* (*Visegrád*, 1991). *Bolyai Soc. Math. Stud.* **3** 137–156. János Bolyai Math. Soc., Budapest. MR1319160

[15] BOLLOBÁS, B. and RIORDAN, O. (2006). *Percolation*. Cambridge Univ. Press, New York. MR2283880 https://doi.org/10.1017/CBO9781139167383

[16] BORGS, C., CHAYES, J. T., VAN DER HOFSTAD, R., SLADE, G. and SPENCER, J. (2006). Random subgraphs of finite graphs. III. The phase transition for the n-cube. *Combinatorica* **26** 395–410. MR2260845 https://doi.org/10.1007/s00493-006-0022-1

[17] BROADBENT, S. R. and HAMMERSLEY, J. M. (1957). Percolation processes. I. Crystals and mazes. *Proc. Camb. Philos. Soc.* **53** 629–641. MR0091567 https://doi.org/10.1017/s0305004100032680

[18] CHUNG, F. and LU, L. (2001). The diameter of sparse random graphs. *Adv. in Appl. Math.* **26** 257–279. MR1826308 https://doi.org/10.1006/aama.2001.0720

[19] CONDON, P., ESPUNY DÍAZ, A., GIRÃO, A., KÜHN, D. and OSTHUS, D. (2021). Hamiltonicity of random subgraphs of the hypercube. In *Proceedings of the* 2021 *ACM-SIAM Symposium on Discrete Algorithms* (*SODA*) 889–898. [SIAM], Philadelphia, PA. MR4262489 https://doi.org/10.1137/1.9781611976465.56

[20] DING, J., LUBETZKY, E. and PERES, Y. (2014). Anatomy of the giant component: The strictly supercritical regime. *European J. Combin.* **35** 155–168. MR3090494 https://doi.org/10.1016/j.ejc.2013.06.004

[21] DISKIN, S. and KRIVELEVICH, M. (2021). Site percolation on pseudo-random graphs. ArXiv preprint. Available at arXiv:2107.13326.

[22] EHARD, S. and JOOS, F. (2018). Paths and cycles in random subgraphs of graphs with large minimum degree. *Electron. J. Combin.* **25** Paper No. 2.31. MR3814265

[23] ERDE, J., KANG, M. and KRIVELEVICH, M. (2021). Large complete minors in random subgraphs. *Combin. Probab. Comput.* **30** 619–630. MR4272856 https://doi.org/10.1017/s0963548320000607

[24] ERDŐS, P. and RÉNYI, A. (1959). On random graphs. I. *Publ. Math. Debrecen* **6** 290–297. MR0120167

[25] ERDŐS, P. and SPENCER, J. (1979). Evolution of the n-cube. *Comput. Math. Appl.* **5** 33–39. MR0534014 https://doi.org/10.1016/0898-1221(81)90137-1

[26] FERNHOLZ, D. and RAMACHANDRAN, V. (2007). The diameter of sparse random graphs. *Random Structures Algorithms* **31** 482–516. MR2362640 https://doi.org/10.1002/rsa.20197

[27] FOUNTOULAKIS, N., KÜHN, D. and OSTHUS, D. (2008). The order of the largest complete minor in a random graph. *Random Structures Algorithms* **33** 127–141. MR2436843 https://doi.org/10.1002/rsa.20215

[28] FOUNTOULAKIS, N., KÜHN, D. and OSTHUS, D. (2009). Minors in random regular graphs. *Random Structures Algorithms* **35** 444–463. MR2571779 https://doi.org/10.1002/rsa.20285

[29] FOUNTOULAKIS, N. and REED, B. A. (2008). The evolution of the mixing rate of a simple random walk on the giant component of a random graph. *Random Structures Algorithms* **33** 68–86. MR2428978 https://doi.org/10.1002/rsa.20210

[30] FRIEZE, A. and KAROŃSKI, M. (2016). *Introduction to Random Graphs*. Cambridge Univ. Press, Cambridge. MR3675279 https://doi.org/10.1017/CBO9781316339831

[31] FRIEZE, A. and KRIVELEVICH, M. (2013). On the non-planarity of a random subgraph. *Combin. Probab. Comput.* **22** 722–732. MR3094480 https://doi.org/10.1017/S0963548313000308

[32] GILBERT, E. N. (1959). Random graphs. *Ann. Math. Stat.* **30** 1141–1144. MR0108839 https://doi.org/10.1214/aoms/1177706098

[33] GRIMMETT, G. (1999). *Percolation*, 2nd ed. *Grundlehren der Mathematischen Wissenschaften* [*Fundamental Principles of Mathematical Sciences*] **321**. Springer, Berlin. MR1707339 https://doi.org/10.1007/978-3-662-03981-6

[34] HARPER, L. H. (1964). Optimal assignments of numbers to vertices. *J. Soc. Indust. Appl. Math.* **12** 131–135. MR0162737

[35] HART, S. (1976). A note on the edges of the n-cube. *Discrete Math.* **14** 157–163. MR0396293 https://doi.org/10.1016/0012-365X(76)90058-3

[36] HASLEGRAVE, J., HU, J., KIM, J., LIU, H., LUAN, B. and WANG, G. (2021). Crux and long cycles in graphs. ArXiv preprint. Available at arXiv:2107.02061.

[37] HEYDENREICH, M. and VAN DER HOFSTAD, R. (2011). Random graph asymptotics on high-dimensional tori II: Volume, diameter and mixing time. *Probab. Theory Related Fields* **149** 397–415. MR2776620 https://doi.org/10.1007/s00440-009-0258-y

[38] HOORY, S., LINIAL, N. and WIGDERSON, A. (2006). Expander graphs and their applications. *Bull. Amer. Math. Soc.* (*N.S.*) **43** 439–561. MR2247919 https://doi.org/10.1090/S0273-0979-06-01126-8

[39] HULSHOF, T. and NACHMIAS, A. (2020). Slightly subcritical hypercube percolation. *Random Structures Algorithms* **56** 557–593. MR4060356 https://doi.org/10.1002/rsa.20853

[40] JANSON, S., ŁUCZAK, T. and RUCINSKI, A. (2000). *Random Graphs. Wiley-Interscience Series in Discrete Mathematics and Optimization*. Wiley Interscience, New York. MR1782847 https://doi.org/10.1002/9781118032718

[41] KAWARABAYASHI, K. and REED, B. (2010). A separator theorem in minor-closed classes. In 2010 *IEEE 51st Annual Symposium on Foundations of Computer Science—FOCS* 2010 153–162. IEEE Computer Soc., Los Alamitos, CA. MR3024789

[42] KESTEN, H. (1982). *Percolation Theory for Mathematicians. Progress in Probability and Statistics* **2**. Birkhäuser, Boston, MA. MR0692943

[43] KOMLÓS, J., SULYOK, M. and SZEMERÉDI, E. (1980). Second largest component in a random graph. *Studia Sci. Math. Hungar.* **15** 391–395. MR0688618

[44] KRIVELEVICH, M. (2018). Finding and using expanders in locally sparse graphs. *SIAM J. Discrete Math.* **32** 611–623. MR3769697 https://doi.org/10.1137/17M1128721

[45] KRIVELEVICH, M. (2019). Expanders—how to find them, and what to find in them. In *Surveys in Combinatorics* 2019. *London Mathematical Society Lecture Note Series* **456** 115–142. Cambridge Univ. Press, Cambridge. MR3967294

[46] KRIVELEVICH, M. (2019). Long cycles in locally expanding graphs, with applications. *Combinatorica* **39** 135–151. MR3936195 https://doi.org/10.1007/s00493-017-3701-1

[47] KRIVELEVICH, M. and NACHMIAS, A. (2006). Coloring complete bipartite graphs from random lists. *Random Structures Algorithms* **29** 436–449. MR2268230 https://doi.org/10.1002/rsa.20114

[48] KRIVELEVICH, M. and SAMOTIJ, W. (2014). Long paths and cycles in random subgraphs of $\mathscr{H}$-free graphs. *Electron. J. Combin.* **21** Paper 1.30. MR3177525

[49] KRIVELEVICH, M. and SUDAKOV, B. (2013). The phase transition in random graphs: A simple proof. *Random Structures Algorithms* **43** 131–138. MR3085765 https://doi.org/10.1002/rsa.20470

[50] LAWLER, G. F. and SOKAL, A. D. (1988). Bounds on the L^2 spectrum for Markov chains and Markov processes: A generalization of Cheeger's inequality. *Trans. Amer. Math. Soc.* **309** 557–580. MR0930082 https://doi.org/10.2307/2000925

[51] LEVIN, D. A. and PERES, Y. (2017). *Markov Chains and Mixing Times*. Amer. Math. Soc., Providence, RI. MR3726904 https://doi.org/10.1090/mbk/107

[52] LINDSEY, J. H. II (1964). Assignment of numbers to vertices. *Amer. Math. Monthly* **71** 508–516. MR0168489 https://doi.org/10.2307/2312587

[53] ŁUCZAK, T. (1990). Component behavior near the critical point of the random graph process. *Random Structures Algorithms* **1** 287–310. MR1099794 https://doi.org/10.1002/rsa.3240010305

[54] MCDIARMID, C., SCOTT, A. and WITHERS, P. (2021). The component structure of dense random subgraphs of the hypercube. *Random Structures Algorithms* **59** 3–24. MR4270992 https://doi.org/10.1002/rsa.20990

[55] PETE, G. (2008). A note on percolation on $\mathbb{Z}^d$: Isoperimetric profile via exponential cluster repulsion. *Electron. Commun. Probab.* **13** 377–392. MR2415145 https://doi.org/10.1214/ECP.v13-1390

[56] REIDYS, C. M. (2009). Large components in random induced subgraphs of n-cubes. *Discrete Math.* **309** 3113–3124. MR2526729 https://doi.org/10.1016/j.disc.2008.08.015

[57] RIORDAN, O. and WORMALD, N. (2010). The diameter of sparse random graphs. *Combin. Probab. Comput.* **19** 835–926. MR2726083 https://doi.org/10.1017/S0963548310000325

[58] SAPOŽENKO, A. A. (1967). Metric properties of almost all functions of the algebra of logic. *Diskret. Analiz* **10** 91–119. MR0223280

[59] SINCLAIR, A. and JERRUM, M. (1989). Approximate counting, uniform generation and rapidly mixing Markov chains. *Inform. and Comput.* **82** 93–133. MR1003059 https://doi.org/10.1016/0890-5401(89)90067-9

[60] VAN DER HOFSTAD, R. and NACHMIAS, A. (2014). Unlacing hypercube percolation: A survey. *Metrika* **77** 23–50. MR3152019 https://doi.org/10.1007/s00184-013-0473-5

[61] VAN DER HOFSTAD, R. and NACHMIAS, A. (2017). Hypercube percolation. *J. Eur. Math. Soc.* (*JEMS*) **19** 725–814. MR3612867 https://doi.org/10.4171/JEMS/679

The Annals of Probability
2023, Vol. 51, No. 1, 157–227
https://doi.org/10.1214/22-AOP1593
© Institute of Mathematical Statistics, 2023

METASTABLE BEHAVIOR OF WEAKLY MIXING MARKOV CHAINS: THE CASE OF REVERSIBLE, CRITICAL ZERO-RANGE PROCESSES

BY C. LANDIM[1,a], D. MARCONDES[2,b] AND I. SEO[3,c]

[1]*IMPA and CNRS UMR 6085,* [a]*landim@impa.br*
[2]*Institute of Mathematics and Statistics, Universidade de São Paulo,* [b]*dmarcondes@ime.usp.br*
[3]*Department of Mathematical Sciences and RIM, Seoul National University,* [c]*insuk.seo@snu.ac.kr*

We present a general method to derive the metastable behavior of weakly mixing Markov chains. This approach is based on properties of the resolvent equations and can be applied to metastable dynamics, which do not satisfy the mixing conditions required in (*J. Stat. Phys.* **140** (2010) 1065–1114; *J. Stat. Phys.* **149** (2012) 598–618) or in Landim, Marcondes and Seo (2020).

As an application, we study the metastable behavior of critical zero-range processes. Let $r : S \times S \to \mathbb{R}_+$ be the jump rates of an irreducible random walk on a finite set S, reversible with respect to the uniform measure. For $\alpha > 0$, let $g : \mathbb{N} \to \mathbb{R}_+$ be given by $g(0) = 0$, $g(1) = 1$, $g(k) = [k/(k-1)]^\alpha$, $k \geq 2$. Consider a zero-range process on S in which a particle jumps from a site x, occupied by k particles, to a site y at rate $g(k)r(x, y)$. For $\alpha \geq 1$, in the stationary state, as the total number of particles, represented by N, tends to infinity, all particles but a negligible number accumulate at one single site. This phenomenon is called condensation. Since condensation occurs if and only if $\alpha \geq 1$, we call the case $\alpha = 1$ critical. By applying the general method established in the first part of the article to the critical case, we show that the site, which concentrates almost all particles, evolves in the time-scale $N^2 \log N$ as a random walk on S whose transition rates are proportional to the capacities of the underlying random walk.

REFERENCES

[1] ARMENDÁRIZ, I., GROSSKINSKY, S. and LOULAKIS, M. (2013). Zero-range condensation at criticality. *Stochastic Process. Appl.* **123** 3466–3496. MR3071386 https://doi.org/10.1016/j.spa.2013.04.021

[2] ARMENDÁRIZ, I., GROSSKINSKY, S. and LOULAKIS, M. (2017). Metastability in a condensing zero-range process in the thermodynamic limit. *Probab. Theory Related Fields* **169** 105–175. MR3704767 https://doi.org/10.1007/s00440-016-0728-y

[3] ARMENDÁRIZ, I. and LOULAKIS, M. (2009). Thermodynamic limit for the invariant measures in supercritical zero range processes. *Probab. Theory Related Fields* **145** 175–188. MR2520125 https://doi.org/10.1007/s00440-008-0165-7

[4] ARMENDÁRIZ, I. and LOULAKIS, M. (2011). Conditional distribution of heavy tailed random variables on large deviations of their sum. *Stochastic Process. Appl.* **121** 1138–1147. MR2775110 https://doi.org/10.1016/j.spa.2011.01.011

[5] BELTRÁN, J., JARA, M. and LANDIM, C. (2017). A martingale problem for an absorbed diffusion: The nucleation phase of condensing zero range processes. *Probab. Theory Related Fields* **169** 1169–1220. MR3719065 https://doi.org/10.1007/s00440-016-0749-6

[6] BELTRÁN, J. and LANDIM, C. (2010). Tunneling and metastability of continuous time Markov chains. *J. Stat. Phys.* **140** 1065–1114. MR2684500 https://doi.org/10.1007/s10955-010-0030-9

[7] BELTRÁN, J. and LANDIM, C. (2012). Tunneling and metastability of continuous time Markov chains II, the nonreversible case. *J. Stat. Phys.* **149** 598–618. MR2998592 https://doi.org/10.1007/s10955-012-0617-4

[8] BELTRÁN, J. and LANDIM, C. (2012). Metastability of reversible condensed zero range processes on a finite set. *Probab. Theory Related Fields* **152** 781–807. MR2892962 https://doi.org/10.1007/s00440-010-0337-0

MSC2020 subject classifications. 82C44, 60K35.

Key words and phrases. Metastability, interacting particle systems, zero-range process, condensation, resolvent equation.

[9] BELTRÁN, J. and LANDIM, C. (2015). A martingale approach to metastability. *Probab. Theory Related Fields* **161** 267–307. MR3304753 https://doi.org/10.1007/s00440-014-0549-9

[10] BIANCHI, A., DOMMERS, S. and GIARDINÀ, C. (2017). Metastability in the reversible inclusion process. *Electron. J. Probab.* **22** Paper No. 70, 34. MR3698739 https://doi.org/10.1214/17-EJP98

[11] BOUCHERON, S., LUGOSI, G. and BOUSQUET, O. (2004). Concentration inequalities. In *Advanced Lectures on Machine Learning* (O. Bousquet, U. Von Luxburg and G. Rätsch, eds.). *Lecture Notes in Artificial Intelligence* **3176**. Springer.

[12] BOVIER, A., ECKHOFF, M., GAYRARD, V. and KLEIN, M. (2004). Metastability in reversible diffusion processes. I. Sharp asymptotics for capacities and exit times. *J. Eur. Math. Soc.* (*JEMS*) **6** 399–424. MR2094397 https://doi.org/10.4171/JEMS/14

[13] CHEN, G.-Y. and SALOFF-COSTE, L. (2013). On the mixing time and spectral gap for birth and death chains. *ALEA Lat. Am. J. Probab. Math. Stat.* **10** 293–321. MR3083928

[14] DROUFFE, J.-M., GODRÈCHE, C. and CAMIA, F. (1998). A simple stochastic model for the dynamics of condensation. *J. Phys. A* **31** L19–L25.

[15] EFRON, B. and STEIN, C. (1981). The jackknife estimate of variance. *Ann. Statist.* **9** 586–596. MR0615434

[16] ETHIER, S. N. and KURTZ, T. G. (2009). *Markov Processes*: *Characterization and Convergence* **282**. Wiley, New York. MR0838085 https://doi.org/10.1002/9780470316658

[17] EVANS, M. R. (2000). Phase transitions in one-dimensional nonequilibrium systems. *Braz. J. Phys.* **30** 42–57.

[18] GAUDILLIÈRE, A. and LANDIM, C. (2014). A Dirichlet principle for non reversible Markov chains and some recurrence theorems. *Probab. Theory Related Fields* **158** 55–89. MR3152780 https://doi.org/10.1007/s00440-012-0477-5

[19] GROSSKINSKY, S., SCHÜTZ, G. M. and SPOHN, H. (2003). Condensation in the zero range process: Stationary and dynamical properties. *J. Stat. Phys.* **113** 389–410. MR2013129 https://doi.org/10.1023/A:1026008532442

[20] JEON, I., MARCH, P. and PITTEL, B. (2000). Size of the largest cluster under zero-range invariant measures. *Ann. Probab.* **28** 1162–1194. MR1797308 https://doi.org/10.1214/aop/1019160330

[21] KIPNIS, C. and LANDIM, C. (1999). *Scaling Limits of Interacting Particle Systems*. *Grundlehren der Mathematischen Wissenschaften* [*Fundamental Principles of Mathematical Sciences*] **320**. Springer, Berlin. MR1707314 https://doi.org/10.1007/978-3-662-03752-2

[22] LANDIM, C. (2014). Metastability for a non-reversible dynamics: The evolution of the condensate in totally asymmetric zero range processes. *Comm. Math. Phys.* **330** 1–32. MR3215575 https://doi.org/10.1007/s00220-014-2072-3

[23] LANDIM, C. (2019). Metastable Markov chains. *Probab. Surv.* **16** 143–227. MR3960293 https://doi.org/10.1214/18-PS310

[24] LANDIM, C., LEE, J. and SEO, I. (2022). The metastabile behavior of non-reversible diffusions in potential fields with several singular points by the resolvent approach. In preparation.

[25] LANDIM, C. and LEMIRE, P. (2016). Metastability of the two-dimensional Blume–Capel model with zero chemical potential and small magnetic field. *J. Stat. Phys.* **164** 346–376. MR3513256 https://doi.org/10.1007/s10955-016-1550-8

[26] LANDIM, C., LOULAKIS, M. and MOURRAGUI, M. (2018). Metastable Markov chains: From the convergence of the trace to the convergence of the finite-dimensional distributions. *Electron. J. Probab.* **23** Paper No. 95, 34. MR3858923 https://doi.org/10.1214/18-EJP220

[27] LANDIM, C., MARCONDES, D. and SEO, I. (2020). A resolvent approach to metastability: The reversible, critical zero-range process.

[28] LANDIM, C., MARIANI, M. and SEO, I. (2019). Dirichlet's and Thomson's principles for non-selfadjoint elliptic operators with application to non-reversible metastable diffusion processes. *Arch. Ration. Mech. Anal.* **231** 887–938. MR3900816 https://doi.org/10.1007/s00205-018-1291-8

[29] LANDIM, C. and SEO, I. (2019). Metastability of one-dimensional, non-reversible diffusions with periodic boundary conditions. *Ann. Inst. Henri Poincaré Probab. Stat.* **55** 1850–1889. MR4029142 https://doi.org/10.1214/18-AIHP936

[30] LEE, J. and SEO, I. (2020). Non-reversible metastable diffusions with Gibbs invariant measure II: Markov chain convergence. arXiv:2008.08295.

[31] OH, C. and REZAKHANLOU, F. (2019). Metastability of zero range processes via Poisson equations. preprint.

[32] REVUZ, D. and YOR, M. (2005). *Continuous Martingales and Brownian Motion*, 3rd ed. *Grundlehren der Mathematischen Wissenschaften* [*Fundamental Principles of Mathematical Sciences*] **293**. Springer, Berlin. Corrected 3rd printing. MR1725357 https://doi.org/10.1007/978-3-662-06400-9

[33] REZAKHANLOU, F. and SEO, I. (2018). Scaling limit of small random perturbation of dynamical systems. arXiv:1812.02069.

[34] REZAKHANLOU, F. and SEO, I. (2022). Metastability of zero-range processes on large torus. In preparation.
[35] SEO, I. (2019). Condensation of non-reversible zero-range processes. *Comm. Math. Phys.* **366** 781–839. MR3922538 https://doi.org/10.1007/s00220-019-03346-2
[36] SEO, I. and TABRIZIAN, P. (2020). Asymptotics for scaled Kramers–Smoluchowski equations in several dimensions with general potentials. *Calc. Var. Partial Differential Equations* **59** Paper No. 11, 21. MR4037472 https://doi.org/10.1007/s00526-019-1669-y
[37] XU, T. (2020). Condensation of the invariant measures of the supercritical zero range processes. arXiv:2007.06085.

The Annals of Probability
2023, Vol. 51, No. 1, 228–276
https://doi.org/10.1214/22-AOP1594
© Institute of Mathematical Statistics, 2023

EXISTENCE OF AN UNBOUNDED NODAL HYPERSURFACE FOR SMOOTH GAUSSIAN FIELDS IN DIMENSION $d \geq 3$

BY HUGO DUMINIL-COPIN[1,a], ALEJANDRO RIVERA[2,b], PIERRE-FRANÇOIS RODRIGUEZ[3,c] AND HUGO VANNEUVILLE[4,d]

[1]*Mathematics Department, Université de Genève,* [a]*hugo.duminil@unige.ch*
[2]*Institute of Mathematics, École Polytechnique Fédérale de Lausanne,* [b]*alejandro.rivera@epfl.ch*
[3]*Department of Mathematics, Imperial College London,* [c]*p.rodriguez@imperial.ac.uk*
[4]*Institut Fourier, Université Grenoble Alpes,* [d]*hugo.vanneuville@univ-grenoble-alpes.fr*

For the Bargmann–Fock field on $\mathbb{R}^d$ with $d \geq 3$, we prove that the critical level $\ell_c(d)$ of the percolation model formed by the excursion sets $\{f \geq \ell\}$ is strictly positive. This implies that for every ℓ sufficiently close to 0 (in particular for the nodal hypersurfaces corresponding to the case $\ell = 0$), $\{f = \ell\}$ contains an unbounded connected component that visits "most" of the ambient space. Our findings actually hold for a more general class of positively correlated smooth Gaussian fields with rapid decay of correlations. The results of this paper show that the behavior of nodal hypersurfaces of these Gaussian fields in $\mathbb{R}^d$ for $d \geq 3$ is very different from the behavior of nodal lines of their 2-dimensional analogues.

REFERENCES

[1] ADLER, R. J. (2010). *The Geometry of Random Fields*. *Classics in Applied Mathematics* **62**. SIAM, Philadelphia, PA. MR3396215 https://doi.org/10.1137/1.9780898718980.ch1

[2] ADLER, R. J. and TAYLOR, J. E. (2007). *Random Fields and Geometry*. *Springer Monographs in Mathematics*. Springer, New York. MR2319516

[3] AIZENMAN, M. and GRIMMETT, G. (1991). Strict monotonicity for critical points in percolation and ferromagnetic models. *J. Stat. Phys.* **63** 817–835. MR1116036 https://doi.org/10.1007/BF01029985

[4] ALEXANDER, K. S. (1996). Boundedness of level lines for two-dimensional random fields. *Ann. Probab.* **24** 1653–1674. MR1415224 https://doi.org/10.1214/aop/1041903201

[5] AZAÏS, J.-M. and WSCHEBOR, M. (2009). *Level Sets and Extrema of Random Processes and Fields*. Wiley, Hoboken, NJ. MR2478201 https://doi.org/10.1002/9780470434642

[6] BEFFARA, V. and GAYET, D. (2017). Percolation of random nodal lines. *Publ. Math. Inst. Hautes Études Sci.* **126** 131–176. MR3735866 https://doi.org/10.1007/s10240-017-0093-0

[7] BELIAEV, D., MCAULEY, M. and MUIRHEAD, S. (2020). Smoothness and monotonicity of the excursion set density of planar Gaussian fields. *Electron. J. Probab.* **25** Paper No. 93, 37 pp. MR4136473 https://doi.org/10.1214/20-ejp470

[8] BELIAEV, D. and MUIRHEAD, S. (2018). Discretisation schemes for level sets of planar Gaussian fields. *Comm. Math. Phys.* **359** 869–913. MR3784534 https://doi.org/10.1007/s00220-018-3084-1

[9] BELIAEV, D., MUIRHEAD, S. and RIVERA, A. (2020). A covariance formula for topological events of smooth Gaussian fields. *Ann. Probab.* **48** 2845–2893. MR4164455 https://doi.org/10.1214/20-AOP1438

[10] BELIAEV, D., MUIRHEAD, S. and WIGMAN, I. (2021). Russo–Seymour–Welsh estimates for the Kostlan ensemble of random polynomials. *Ann. Inst. Henri Poincaré Probab. Stat.* **57** 2189–2218. MR4328561 https://doi.org/10.1214/20-aihp1142

[11] BURAGO, Y. D. and ZALGALLER, V. A. (1988). *Geometric Inequalities*. *Grundlehren der Mathematischen Wissenschaften* [*Fundamental Principles of Mathematical Sciences*] **285**. Springer, Berlin. MR0936419 https://doi.org/10.1007/978-3-662-07441-1

[12] CAMPANINO, M. and RUSSO, L. (1985). An upper bound on the critical percolation probability for the three-dimensional cubic lattice. *Ann. Probab.* **13** 478–491. MR0781418

MSC2020 subject classifications. 60K35, 60G60.
Key words and phrases. Percolation, Gaussian fields.

[13] CHAYES, J. T., CHAYES, L. and NEWMAN, C. M. (1987). Bernoulli percolation above threshold: An invasion percolation analysis. *Ann. Probab.* **15** 1272–1287. MR0905331

[14] DREWITZ, A., PRÉVOST, A. and RODRIGUEZ, P.-F. (2018). The sign clusters of the massless Gaussian free field percolate on $\mathbb{Z}^d$, $d \geq 3$ (and more). *Comm. Math. Phys.* **362** 513–546. MR3843421 https://doi.org/10.1007/s00220-018-3209-6

[15] DREWITZ, A., PRÉVOST, A. and RODRIGUEZ, P.-F. (2018). Geometry of Gaussian free field sign clusters and random interlacements. Preprint. Available at arXiv:1811.05970.

[16] DUMINIL-COPIN, H., GOSWAMI, S., RODRIGUEZ, P.-F. and SEVERO, F. (2020). Equality of critical parameters for percolation of Gaussian free field level-sets. Preprint. Available at arXiv:2002.07735.

[17] DUMINIL-COPIN, H., MANOLESCU, I. and TASSION, V. (2021). Planar random-cluster model: Fractal properties of the critical phase. *Probab. Theory Related Fields* **181** 401–449. MR4341078 https://doi.org/10.1007/s00440-021-01060-6

[18] GARBAN, C. and VANNEUVILLE, H. (2020). Bargmann–Fock percolation is noise sensitive. *Electron. J. Probab.* **25** Paper No. 98, 20 pp. MR4136478 https://doi.org/10.1214/20-ejp491

[19] GRIMMETT, G. R. and MARSTRAND, J. M. (1990). The supercritical phase of percolation is well behaved. *Proc. R. Soc. Lond. Ser. A, Math. Phys. Sci.* **430** 439–457. MR1068308 https://doi.org/10.1098/rspa.1990.0100

[20] KÖHLER-SCHINDLER, L. and TASSION, V. (2020). Crossing probabilities for planar percolation. Preprint. Available at arXiv:2011.04618.

[21] LETENDRE, T. (2016). Expected volume and Euler characteristic of random submanifolds. *J. Funct. Anal.* **270** 3047–3110. MR3470435 https://doi.org/10.1016/j.jfa.2016.01.007

[22] MERMIN, N. D. and WAGNER, H. (1966). Absence of ferromagnetism or antiferromagnetism in one-or two-dimensional isotropic Heisenberg models. *Phys. Rev. Lett.* **17** 1133.

[23] MUIRHEAD, S., RIVERA, A., VANNEUVILLE, H. and KÖHLER-SCHINDLER, L. (2020). The phase transition for planar Gaussian percolation models without FKG. Preprint. Available at arXiv:2010.11770.

[24] MUIRHEAD, S. and VANNEUVILLE, H. (2020). The sharp phase transition for level set percolation of smooth planar Gaussian fields. *Ann. Inst. Henri Poincaré Probab. Stat.* **56** 1358–1390. MR4076787 https://doi.org/10.1214/19-AIHP1006

[25] NAZAROV, F. and SODIN, M. (2016). Asymptotic laws for the spatial distribution and the number of connected components of zero sets of Gaussian random functions. *J. Math. Phys. Anal. Geom.* **12** 205–278. MR3522141 https://doi.org/10.15407/mag12.03.205

[26] PFISTER, C. E. (1981). On the symmetry of the Gibbs states in two-dimensional lattice systems. *Comm. Math. Phys.* **79** 181–188. MR0612247

[27] PITT, L. D. (1982). Positively correlated normal variables are associated. *Ann. Probab.* **10** 496–499. MR0665603

[28] RIVERA, A. (2021). Talagrand's inequality in planar Gaussian field percolation. *Electron. J. Probab.* **26** Paper No. 26, 25 pp. MR4235477 https://doi.org/10.1214/21-EJP585

[29] RIVERA, A. (2021). High-dimensional monochromatic random waves approximate the Bargmann–Fock field. Hal preprint.

[30] RIVERA, A. and VANNEUVILLE, H. (2019). Quasi-independence for nodal lines. *Ann. Inst. Henri Poincaré Probab. Stat.* **55** 1679–1711. MR4010948 https://doi.org/10.1214/18-aihp931

[31] RIVERA, A. and VANNEUVILLE, H. (2020). The critical threshold for Bargmann–Fock percolation. *Ann. Henri Lebesgue* **3** 169–215. MR4060853 https://doi.org/10.5802/ahl.29

[32] SARNAK, P. (2017). Topologies of the zero sets of random real projective hypersurfaces and of monochromatic waves. In *Random Geometries/Random Topologies Conference*. Slides available at https://math.ethz.ch/fim/activities/conferences/past-conferences/2017/random-geometries-topologies/talks.html.

[33] SEVERO, F. (2021). Sharp phase transition for Gaussian percolation in all dimensions. Preprint. Available at arXiv:2105.05219.

[34] SZNITMAN, A.-S. (2010). Vacant set of random interlacements and percolation. *Ann. of Math.* (2) **171** 2039–2087. MR2680403 https://doi.org/10.4007/annals.2010.171.2039

[35] SZNITMAN, A.-S. (2012). Decoupling inequalities and interlacement percolation on $G \times \mathbb{Z}$. *Invent. Math.* **187** 645–706. MR2891880 https://doi.org/10.1007/s00222-011-0340-9

[36] TASSION, V. (2016). Crossing probabilities for Voronoi percolation. *Ann. Probab.* **44** 3385–3398. MR3551200 https://doi.org/10.1214/15-AOP1052

[37] WENDLAND, H. (2005). *Scattered Data Approximation*. *Cambridge Monographs on Applied and Computational Mathematics* **17**. Cambridge Univ. Press, Cambridge. MR2131724

[38] WERNER, W. (1995). On Brownian disconnection exponents. *Bernoulli* **1** 371–380. MR1369167 https://doi.org/10.2307/3318489

[39] WERNER, W. (2009). Lectures on two-dimensional critical percolation. In *Statistical Mechanics*. *IAS/Park City Math. Ser.* **16** 297–360. Amer. Math. Soc., Providence, RI. MR2523462 https://doi.org/10.1090/pcms/016/06

The Annals of Probability
2023, Vol. 51, No. 1, 277–358
https://doi.org/10.1214/22-AOP1596
© Institute of Mathematical Statistics, 2023

POISSON STATISTICS AND LOCALIZATION AT THE SPECTRAL EDGE OF SPARSE ERDŐS–RÉNYI GRAPHS

BY JOHANNES ALT[1,2,a], RAPHAEL DUCATEZ[3,c] AND ANTTI KNOWLES[1,b]

[1]*Section of Mathematics, University of Geneva,* [a]*johannes.alt@unige.ch,* [b]*antti.knowles@unige.ch*
[2]*Courant Institute of Mathematical Sciences, New York University*
[3]*Unité de Mathématiques Pures et Appliqués (UMPA), ENS Lyon,* [c]*raphael.ducatez@ens-lyon.fr*

We consider the adjacency matrix A of the Erdős–Rényi graph on N vertices with edge probability d/N. For $(\log\log N)^4 \ll d \lesssim \log N$, we prove that the eigenvalues near the spectral edge form asymptotically a Poisson point process and the associated eigenvectors are exponentially localized. As a corollary, at the critical scale $d \asymp \log N$, the limiting distribution of the largest nontrivial eigenvalue does not match with any previously known distribution. Together with (*Comm. Math. Phys.* **388** (2021) 507–579), our result establishes the coexistence of a fully delocalized phase and a fully localized phase in the spectrum of A. The proof relies on a three-scale rigidity argument, which characterizes the fluctuations of the eigenvalues in terms of the fluctuations of sizes of spheres of radius 1 and 2 around vertices of large degree.

REFERENCES

[1] AGGARWAL, A., LOPATTO, P. and MARCINEK, J. (2021). Eigenvector statistics of Lévy matrices. *Ann. Probab.* **49** 1778–1846. MR4260468 https://doi.org/10.1214/20-aop1493

[2] AGGARWAL, A., LOPATTO, P. and YAU, H.-T. (2021). GOE statistics for Lévy matrices. *J. Eur. Math. Soc.* (*JEMS*) **23** 3707–3800. MR4310816 https://doi.org/10.4171/jems/1089

[3] AIZENMAN, M. and MOLCHANOV, S. (1993). Localization at large disorder and at extreme energies: An elementary derivation. *Comm. Math. Phys.* **157** 245–278. MR1244867

[4] ALON, N. (1998). Spectral techniques in graph algorithms (invited paper). In *LATIN'98: Theoretical Informatics* (*Campinas*, 1998). *Lecture Notes in Computer Science* **1380** 206–215. Springer, Berlin. MR1635529 https://doi.org/10.1007/BFb0054322

[5] ALT, J., DUCATEZ, R. and KNOWLES, A. (2021). Delocalization transition for critical Erdős–Rényi graphs. *Comm. Math. Phys.* **388** 507–579. MR4328063 https://doi.org/10.1007/s00220-021-04167-y

[6] ALT, J., DUCATEZ, R. and KNOWLES, A. (2021). Extremal eigenvalues of critical Erdős–Rényi graphs. *Ann. Probab.* **49** 1347–1401. MR4255147 https://doi.org/10.1214/20-aop1483

[7] ANDERSON, P. W. (1958). Absence of diffusion in certain random lattices. *Phys. Rev.* **109** 1492.

[8] AUFFINGER, A., BEN AROUS, G. and PÉCHÉ, S. (2009). Poisson convergence for the largest eigenvalues of heavy tailed random matrices. *Ann. Inst. Henri Poincaré Probab. Stat.* **45** 589–610. MR2548495 https://doi.org/10.1214/08-AIHP188

[9] BENAYCH-GEORGES, F., BORDENAVE, C. and KNOWLES, A. (2019). Largest eigenvalues of sparse inhomogeneous Erdős–Rényi graphs. *Ann. Probab.* **47** 1653–1676. MR3945756 https://doi.org/10.1214/18-AOP1293

[10] BENAYCH-GEORGES, F., BORDENAVE, C. and KNOWLES, A. (2020). Spectral radii of sparse random matrices. *Ann. Inst. Henri Poincaré Probab. Stat.* **56** 2141–2161. MR4116720 https://doi.org/10.1214/19-AIHP1033

[11] BOLLOBÁS, B. (2001). *Random Graphs*, 2nd ed. *Cambridge Studies in Advanced Mathematics* **73**. Cambridge Univ. Press, Cambridge. MR1864966 https://doi.org/10.1017/CBO9780511814068

[12] BORDENAVE, C. and GUIONNET, A. (2013). Localization and delocalization of eigenvectors for heavy-tailed random matrices. *Probab. Theory Related Fields* **157** 885–953. MR3129806 https://doi.org/10.1007/s00440-012-0473-9

MSC2020 subject classifications. 60B20, 15B52, 05C80.
Key words and phrases. Random graph, random matrix, Poisson statistics, eigenvector localization.

[13] BORDENAVE, C. and GUIONNET, A. (2017). Delocalization at small energy for heavy-tailed random matrices. *Comm. Math. Phys.* **354** 115–159. MR3656514 https://doi.org/10.1007/s00220-017-2914-x

[14] BOUCHERON, S., LUGOSI, G. and MASSART, P. (2013). *Concentration Inequalities: A Nonasymptotic Theory of Independence*. Oxford Univ. Press, Oxford. MR3185193 https://doi.org/10.1093/acprof:oso/9780199535255.001.0001

[15] CHUNG, F. R. K. (1997). *Spectral Graph Theory. CBMS Regional Conference Series in Mathematics* **92**. Amer. Math. Soc., Providence, RI. MR1421568

[16] CIZEAU, P. and BOUCHAUD, J. P. (1994). Theory of Lévy matrices. *Phys. Rev. E* **50** 1810.

[17] ERDŐS, L., KNOWLES, A., YAU, H.-T. and YIN, J. (2012). Spectral statistics of Erdős–Rényi Graphs II: Eigenvalue spacing and the extreme eigenvalues. *Comm. Math. Phys.* **314** 587–640. MR2964770 https://doi.org/10.1007/s00220-012-1527-7

[18] ERDŐS, L., KNOWLES, A., YAU, H.-T. and YIN, J. (2013). Spectral statistics of Erdős–Rényi graphs I: Local semicircle law. *Ann. Probab.* **41** 2279–2375. MR3098073 https://doi.org/10.1214/11-AOP734

[19] ERDŐS, L., YAU, H.-T. and YIN, J. (2012). Rigidity of eigenvalues of generalized Wigner matrices. *Adv. Math.* **229** 1435–1515. MR2871147 https://doi.org/10.1016/j.aim.2011.12.010

[20] ERDŐS, P. and RÉNYI, A. (1959). On random graphs. I. *Publ. Math. Debrecen* **6** 290–297. MR0120167

[21] FRÖHLICH, J. and SPENCER, T. (1983). Absence of diffusion in the Anderson tight binding model for large disorder or low energy. *Comm. Math. Phys.* **88** 151–184. MR0696803

[22] GOL'DŠEĬD, I. J., MOLČANOV, S. A. and PASTUR, L. A. (1977). A random homogeneous Schrödinger operator has a pure point spectrum. *Funct. Anal. Appl.* **11** 1–10. MR0470515

[23] HE, Y. and KNOWLES, A. (2021). Fluctuations of extreme eigenvalues of sparse Erdős–Rényi graphs. *Probab. Theory Related Fields* **180** 985–1056. MR4288336 https://doi.org/10.1007/s00440-021-01054-4

[24] HOORY, S., LINIAL, N. and WIGDERSON, A. (2006). Expander graphs and their applications. *Bull. Amer. Math. Soc.* (*N.S.*) **43** 439–561. MR2247919 https://doi.org/10.1090/S0273-0979-06-01126-8

[25] HUANG, J., LANDON, B. and YAU, H.-T. (2020). Transition from Tracy-Widom to Gaussian fluctuations of extremal eigenvalues of sparse Erdős–Rényi graphs. *Ann. Probab.* **48** 916–962. MR4089498 https://doi.org/10.1214/19-AOP1378

[26] KRIVELEVICH, M. and SUDAKOV, B. (2003). The largest eigenvalue of sparse random graphs. *Combin. Probab. Comput.* **12** 61–72. MR1967486 https://doi.org/10.1017/S0963548302005424

[27] LEE, J. O. and SCHNELLI, K. (2013). Local deformed semicircle law and complete delocalization for Wigner matrices with random potential. *J. Math. Phys.* **54** 103504. MR3134604 https://doi.org/10.1063/1.4823718

[28] LEE, J. O. and SCHNELLI, K. (2016). Extremal eigenvalues and eigenvectors of deformed Wigner matrices. *Probab. Theory Related Fields* **164** 165–241. MR3449389 https://doi.org/10.1007/s00440-014-0610-8

[29] LEE, J. O. and SCHNELLI, K. (2018). Local law and Tracy-Widom limit for sparse random matrices. *Probab. Theory Related Fields* **171** 543–616. MR3800840 https://doi.org/10.1007/s00440-017-0787-8

[30] LEE, J. O. and YIN, J. (2014). A necessary and sufficient condition for edge universality of Wigner matrices. *Duke Math. J.* **163** 117–173. MR3161313 https://doi.org/10.1215/00127094-2414767

[31] MINAMI, N. (1996). Local fluctuation of the spectrum of a multidimensional Anderson tight binding model. *Comm. Math. Phys.* **177** 709–725. MR1385082

[32] SOSHNIKOV, A. (1999). Universality at the edge of the spectrum in Wigner random matrices. *Comm. Math. Phys.* **207** 697–733. MR1727234 https://doi.org/10.1007/s002200050743

[33] SOSHNIKOV, A. (2004). Poisson statistics for the largest eigenvalues of Wigner random matrices with heavy tails. *Electron. Commun. Probab.* **9** 82–91. MR2081462 https://doi.org/10.1214/ECP.v9-1112

[34] TAO, T. and VU, V. (2010). Random matrices: Universality of local eigenvalue statistics up to the edge. *Comm. Math. Phys.* **298** 549–572. MR2669449 https://doi.org/10.1007/s00220-010-1044-5

[35] TARQUINI, E., BIROLI, G. and TARZIA, M. (2016). Level statistics and localization transitions of Lévy matrices. *Phys. Rev. Lett.* **116** 010601. MR3555687 https://doi.org/10.1103/PhysRevLett.116.010601

[36] TIKHOMIROV, K. and YOUSSEF, P. (2021). Outliers in spectrum of sparse Wigner matrices. *Random Structures Algorithms* **58** 517–605. MR4234995 https://doi.org/10.1002/rsa.20982

The Annals of Probability
2023, Vol. 51, No. 1, 359–395
https://doi.org/10.1214/22-AOP1597
© Institute of Mathematical Statistics, 2023

FREE ENERGY OF A DILUTED SPIN GLASS MODEL WITH QUADRATIC HAMILTONIAN

BY RATUL BISWAS[a], WEI-KUO CHEN[b] AND ARNAB SEN[c]

School of Mathematics, University of Minnesota, [a]*biswa087@umn.edu,* [b]*wkchen@umn.edu,* [c]*arnab@umn.edu*

We study a diluted mean-field spin glass model with a quadratic Hamiltonian. Our main result establishes the limiting free energy in terms of an integral of a family of random variables that are the weak limits of the quenched variances of the spins in the system with varying edge connectivity. The key ingredient in our argument is played by the identification of these random variables as the unique solution to a recursive distributional equation. Our results in particular provide the first example of the diluted Shcherbina–Tirozzi model, whose limiting free energy can be derived at any inverse temperature and external field.

REFERENCES

[1] AIZENMAN, M., SIMS, R. and STARR, S. L. (2003). An extended variational principle for the SK spin-glass model. *Phys. Rev. B* **68**.

[2] BARBIER, J., CHEN, W. K., PANCHENKO, D. and SÁENZ, M. (2021). Performance of Bayesian linear regression in a model with mismatch. arXiv preprint arXiv:2107.06936.

[3] BOLTHAUSEN, E., NAKAJIMA, S., SUN, N. and XU, C. (2021). Gardner formula for Ising perceptron models at small densities. arXiv preprint arXiv:2111.02855.

[4] BORDENAVE, C. (2019). Lecture notes on random matrix theory.

[5] BRASCAMP, H. J. and LIEB, E. H. (2002). On extensions of the Brunn–Minkowski and Prékopa–Leindler theorems, including inequalities for log concave functions, and with an application to the diffusion equation. In *Inequalities* 441–464. Springer.

[6] COJA-OGHLAN, A. and PERKINS, W. (2019). Spin systems on Bethe lattices. *Comm. Math. Phys.* **372** 441–523. MR4032871 https://doi.org/10.1007/s00220-019-03544-y

[7] FRANZ, S. and LEONE, M. (2003). Replica bounds for optimization problems and diluted spin systems. *J. Stat. Phys.* **111** 535–564. MR1972121 https://doi.org/10.1023/A:1022885828956

[8] GARDNER, E. (1987). Maximum storage capacity in neural networks. *Europhys. Lett.* **4** 481.

[9] GARDNER, E. (1988). The space of interactions in neural network models. *J. Phys. A* **21** 257–270. MR0939730

[10] GUERRA, F. and TONINELLI, F. L. (2004). The high temperature region of the Viana–Bray diluted spin glass model. *J. Stat. Phys.* **115** 531–555. MR2070106 https://doi.org/10.1023/B:JOSS.0000019815.11115.54

[11] I KANTER, I. and SOMPOLINSKY, H. (1987). Mean-field theory of spin-glasses with finite coordination number. *Phys. Rev. Lett.* **58** 164–167. https://doi.org/10.1103/PhysRevLett.58.164

[12] KÖSTERS, H. (2006). Fluctuations of the free energy in the diluted SK-model. *Stochastic Process. Appl.* **116** 1254–1268. MR2251544 https://doi.org/10.1016/j.spa.2006.02.002

[13] MÉZARD, M. and PARISI, G. (2001). The Bethe lattice spin glass revisited. *Eur. Phys. J. B* **20** 217–233. MR1832936 https://doi.org/10.1007/PL00011099

[14] MÉZARD, M., PARISI, G. and VIRASORO, M. A. (1987). *Spin Glass Theory and Beyond. World Scientific Lecture Notes in Physics* **9**. World Scientific Co., Inc., Teaneck, NJ. MR1026102

[15] MONASSON, R. and ZECCHINA, R. (1997). Statistical mechanics of the random K-satisfiability model. *Phys. Rev. E* (3) **56** 1357–1370. MR1464158 https://doi.org/10.1103/PhysRevE.56.1357

[16] PANCHENKO, D. (2013). *The Sherrington–Kirkpatrick Model. Springer Monographs in Mathematics*. Springer, New York. MR3052333 https://doi.org/10.1007/978-1-4614-6289-7

[17] PANCHENKO, D. (2013). Spin glass models from the point of view of spin distributions. *Ann. Probab.* **41** 1315–1361. MR3098679 https://doi.org/10.1214/11-AOP696

MSC2020 subject classifications. 60B20, 60G09, 60K35, 82B44.
Key words and phrases. Diluted model, Gardner problem, Shcherbina–Tirozzi model.

[18] PANCHENKO, D. (2014). Structure of 1-RSB asymptotic Gibbs measures in the diluted p-spin models. *J. Stat. Phys.* **155** 1–22. MR3180967 https://doi.org/10.1007/s10955-014-0955-5

[19] PANCHENKO, D. (2014). On the replica symmetric solution of the K-sat model. *Electron. J. Probab.* **19** no. 67, 17. MR3248196 https://doi.org/10.1214/EJP.v19-2963

[20] PANCHENKO, D. (2015). Hierarchical exchangeability of pure states in mean field spin glass models. *Probab. Theory Related Fields* **161** 619–650. MR3334277 https://doi.org/10.1007/s00440-014-0555-y

[21] PANCHENKO, D. (2016). Structure of finite-RSB asymptotic Gibbs measures in the diluted spin glass models. *J. Stat. Phys.* **162** 1–42. MR3439329 https://doi.org/10.1007/s10955-015-1385-8

[22] PANCHENKO, D. and TALAGRAND, M. (2004). Bounds for diluted mean-fields spin glass models. *Probab. Theory Related Fields* **130** 319–336. MR2095932 https://doi.org/10.1007/s00440-004-0342-2

[23] SHCHERBINA, M. and TIROZZI, B. (2003). Central limit theorems for order parameters of the Gardner problem. *Markov Process. Related Fields* **9** 803–828. MR2072257

[24] SHCHERBINA, M. and TIROZZI, B. (2003). Rigorous solution of the Gardner problem. *Comm. Math. Phys.* **234** 383–422. MR1964377 https://doi.org/10.1007/s00220-002-0783-3

[25] STOJNIC, M. (2013). Another look at the Gardner problem. arXiv preprint arXiv:1306.3979.

[26] TALAGRAND, M. (2001). The high temperature case for the random K-sat problem. *Probab. Theory Related Fields* **119** 187–212. MR1818246 https://doi.org/10.1007/PL00008758

[27] TALAGRAND, M. (2011). *Mean Field Models for Spin Glasses. Volume I: Basic Examples. Ergebnisse der Mathematik und Ihrer Grenzgebiete. 3. Folge. A Series of Modern Surveys in Mathematics* [*Results in Mathematics and Related Areas. 3rd Series. A Series of Modern Surveys in Mathematics*] **54**. Springer, Berlin. MR2731561 https://doi.org/10.1007/978-3-642-15202-3

[28] TALAGRAND, M. (2011). *Mean Field Models for Spin Glasses. Volume II: Advanced Replica-Symmetry and Low Temperature. Ergebnisse der Mathematik und Ihrer Grenzgebiete. 3. Folge. A Series of Modern Surveys in Mathematics* [*Results in Mathematics and Related Areas. 3rd Series. A Series of Modern Surveys in Mathematics*] **55**. Springer, Heidelberg. MR3024566

[29] TALAGRAND, M. (2016). A mean-field spin glass model based on diluted V-statistics. *Probab. Theory Related Fields* **165** 401–445. MR3500275 https://doi.org/10.1007/s00440-015-0634-8

[30] VIANA, L. and BRAY, A. J. (1985). Phase diagrams for dilute spin-glasses. *J. Phys. C* **18** 3037–3051.

The Annals of Probability

Vol. 51 March 2023 No. 2

Rough semimartingales and p-variation estimates for martingale transforms
PETER FRIZ AND PAVEL ZORIN-KRANICH

Logarithmic heat kernel estimates without curvature restrictions
XIN CHEN, XUE-MEI LI AND BO WU

Universality of cutoff for exclusion with reservoirs
JUSTIN SALEZ

Berry–Esseen type bounds for the left random walk on $\mathrm{GL}_d(\mathbb{R})$ under polynomial moment conditions
C. CUNY, J. DEDECKER, F. MERLEVÈDE AND M. PELIGRAD

Global-in-time probabilistically strong and Markov solutions to stochastic 3D Navier–Stokes equations: Existence and nonuniqueness
MARTINA HOFMANOVÁ, RONGCHAN ZHU AND XIANGCHAN ZHU

High-dimensional near-critical percolation and the torus plateau
TOM HUTCHCROFT, EMMANUEL MICHTA AND GORDON SLADE

Thermodynamic and scaling limits of the non-Gaussian membrane model
ERIC THOMA

Lower tails via relative entropy
GADY KOZMA AND WOJCIECH SAMOTIJ

Stability of Schrödinger potentials and convergence of Sinkhorn's algorithm
MARCEL NUTZ AND JOHANNES WIESEL

Stein's method for conditional central limit theorem
PARTHA S. DEY AND GRIGORY TERLOV

More limiting distributions for eigenvalues of Wigner matrices
SIMONA DIACONU

The Institute of Mathematical Statistics presents

IMS TEXTBOOKS



Probability on Graphs
Random Processes on Graphs and Lattices

Geoffrey Grimmett

This introduction to some of the principal models in the theory of disordered systems leads the reader through the basics, to the very edge of contemporary research, with the minimum of technical fuss. Topics covered include random walk, percolation, self-avoiding walk, interacting particle systems, uniform spanning tree, random graphs, as well as the Ising, Potts, and random-cluster models for ferromagnetism, and the Lorentz model for motion in a random medium. Schramm–Löwner evolutions (SLE) arise in various contexts. The choice of topics is strongly motivated by modern applications and focuses on areas that merit further research. Special features include a simple account of Smirnov's proof of Cardy's formula for critical percolation, and a fairly full account of the theory of influence and sharp-thresholds. Accessible to a wide audience of mathematicians and physicists, this book can be used as a graduate course text. Each chapter ends with a range of exercises.

Cambridge University Press, in conjunction with the Institute of Mathematical Statistics, established the IMS Monographs and IMS Textbooks series of high-quality books. The Series Editors are Xiao-Li Meng, Susan Holmes, Ben Hambly, D. R. Cox and Alan Agresti.